



## Metallynlåse **størrelse 8** *Metal Zippers Size 8*

### ANTIKSØLV *ANTIQUE SILVER*


Ikke-delbar *Closed End*







Delbar *Open End*



To-vejs *Two Way*



## Størrelse 8 metallynlåse finish oversigt Size 8 Metal Zippers Available Platings

Nummer No	Farve Colour	Finish Plating	Beskrivelse Explanation	Kode Code	Funktion Function		Left-insert
1		G	Messing Brass	RGM	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
2		GKB	Antikmessing Antique Brass	RGMKB	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
3		GTH	Antiksølv Antique Silver	RGMTH	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
4		GK	Sortoxideret Black Oxides	RGMK	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
5		GTX	Antikkobber Antique Copper	RGM TX	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
6		MN	Ny anti-nikkel New Anti-Nickel	RMNM	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
7		MDS	Matsølv Dull Silver	RMMDSM	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
8		MKH	Vintage-sølv Vintage Silver	RMNMKH	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	-	-
9		MNKT	Blanksort Black Shiny	RGMKT (C-RAKKA)	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
10		GK	Matsort Matt Black	RGMK (EP-RAKKA)	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓

**Vigtigt:** Oxideringsprocessen kan bevirke, at oxiderede lynlåse afsætter pletter på lyst tøj. Det anbefales at teste dette inden produktion for at afklare eventuelle problemer.

**Important Notice:** A normal result of the oxidation process is that oxidised zippers may leave a mark on light-coloured garments. Testing is recommended before production to clarify this potential problem.

Vi anbefaler testning af lynlåse til beklædning inden påbegyndelse af den egentlige bearbejdning (farvning, vask m.v.).

Formålet med dette er at vurdere eventuelle uønskede påvirkninger af lynlås eller beklædning, så parametrene kan ændres, og disse påvirkninger undgås.
















Vi anbefaler desuden brug af et metalbeskyttende eller isolerende stof for at begrænse risikoen for uønskede påvirkninger.

We recommend a pre-production trial on zippers to be used in garments subject to bulk processing (dyeing, washing etc.).

The purpose of the trial is to assess any undesirable effects on either the zipper or the garment, then to modify the parameters to prevent such effects.

We also recommend use of a 'metal protector' or 'sequestering agent' to minimise possible adverse effects.

## Metallynlåse **størrelse 8** *Metal Zippers Size 8* Standard skydere *Standard sliders*

				
DAD	DADR7	DAP1	DADHR8	DABT3
				
DFNT2	CA	ZAP	DAZ1(+bøjle) (+cover)	DACR7
				
DAH	DAPDL8	DADRB4	DAR25TR	DALHD/DALH8